KEQUEST FO	OK QUUTA (OT an Order)	HON	I IIIS RFQ L IS L	_ is no	t a small business s	et-as	siae			1 age	1 01 0
1. Request No.		te Issued	3. Requisition/Purcha	se Req	juest No.	4. (	Cert For Nat D	ef. Under BDS	SA	Ratin	g
W56HZV-04-Q-0581	. 20	04JAN26	See So			F	Reg. 2 and/or D	MS Reg. 1			DOA4
5A. Issued By			W56HZV				6. Deliver by				
TACOM WARREN E AMSTA-AQ-AHPB	BLDG 231		WJOHZV					See Se	chedule		
WARREN, MICHIGAN	48397-5000						7. Delivery				
							☐ FOB		x o	than	
							Destination	n	<u> </u>	uiei	
			no.) (No collect calls)								
ELIZABETH JC KOW EMAIL: KOWALSKE@		86)574-807 IL	9								
8. To: Name and Ad							9. Destination	n (Consignee a	nd add	ress, in	cluding
							Zip Code)				
								See So	hedule		
10. Please Furnish (	-		ANT: This is a request f								
the Issuing Office in or Before Close of B			icate on this form and re osts incurred in the pre								
(Date)			re of domestic origin un	-			-				
2004FEF	327	to this Req	uest for Quotation must	be co	mpleted by the quo	ter.					
		1	1. Schedule (Include ap)	plicabl	le Federal, State, a	nd lo	cal taxes)				
Item Number		Supplie	s/Services		Quantity		Unit	Unit Pr	rice		Amount
(a)			(b)		(c)		(d)	(e)			<b>(f)</b>
		(See S	chedule)								
		(See S	eneduie)								
12 Diggggg P	P	Т	o 10 C-1J. D		b 20 C-11 P		g 20 C 1	andon D-		C-1	don D
12. Discount For Pro	ompt Payment		a. 10 Calendar Days		b. 20 Calendar Da	ys %	c. 30 Cale	endar Days %	Nun		dar Days Percentage
						/0		70	Tun	1001	Tercentage
NOTE: Additional p		_						Т	15.5		
13. Name and Addre Zip Code)	ess of Quoter (S	treet, City, (	County, State and		Signature of Person Quotation	n Au	thorized to Sig	n	15. Dat	e of Qu	uotation
zip Couc)				1	Kaomaon						
							16. S	ioner			
				a. N	ame (Type or Prin	t)	10. 0			b. Tele	phone
					· ••			ļ	Area C		
				c. T	itle (Type or Print)	)			Numbe	r	
AUTHODIZED FOI	DIOCAL DED	DODLICTIC	) NT				Stone	lard Form 18	(Dov. Q	05)	

CONTINUATION SHE	Reference No. of Document Bei	ng Continued	Page 2 of 8
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-Q-0581	MOD/AMD	
Name of Offeror or Contractor:			
SUPPLEMENTAL INFORMATION			
	**************************************		
*******	***********	* * * * *	
	*** END OF NARRATIVE A 001 ***		
Regulatory Cite	Title		Date
1 52.215-4854 PAI	PERLESS ELECTRONIC RESPONSES REQUIRED IN RESPO	NSE TO THIS	JUL/2002

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

SOLICITATION/REQUEST

(TACOM)

[End of Clause]

# Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0581 MOD/AMD

Page 3 of 8

Name of Offeror or Contractor:

SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
SUPPLIES OR SERVICES AND PRICES/COSTS				
NSN: 6150-01-451-1108 FSCM: 19207 PART NR: 12388463 SECURITY CLASS: Unclassified				
PRODUCTION QUANTITY	30	EA	\$	\$
NOUN: WIRING HARNESS PRON: EH4RA105EH PRON AMD: 01 AMS CD: 070011				
Packaging and Marking				
Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
Deliveries or Performance           DOC         SUPPL           REL CD         MILSTRIP         ADDR         SIG CD         MARK FOR         TP CD           001         W56HZV3352S874         W45G19         J         1           DEL REL CD         QUANTITY         DAYS AFTER AWARD           001         30         0180				
FOB POINT: Origin				
SHIP TO: PARCEL POST ADDRESS  (W45G19) XR W390 RED RIVER MUNITIONS CTR  HIGHWAY 82 WEST CL V TPF  GATE 44 BLDG 184  TEXARKANA TX 75507-5000				
	NSN: 6150-01-451-1108 FSCM: 19207 PART NR: 12388463 SECURITY CLASS: Unclassified  PRODUCTION QUANTITY  NOUN: WIRING HARNESS PRON: EH4RA105EH PRON AMD: 01 AMS CD: 070011  Packaging and Marking  Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin  Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3352874 W45G19 J 1 DEL REL CD QUANTITY DAYS AFTER AWARD 001 30 0180  FOB POINT: Origin  SHIP TO: PARCEL POST ADDRESS (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184	SUPPLIES OR SERVICES AND PRICES/COSTS  NSN: 6150-01-451-1108 FSCM: 19207 PART NR: 12388463 SECURITY CLASS: Unclassified  PRODUCTION QUANTITY  NOUN: WIRING HARNESS PRON: EH4RA105EH PRON AMD: 01 AMS CD: 070011  Packaging and Marking  Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin  Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV3352S874 W45G19 J 1 DEL REL CD QUANTITY DAYS AFTER AWARD 001 30 0180  FOB POINT: Origin  SHIP TO: PARCEL POST ADDRESS (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184	SUPPLIES OR SERVICES AND PRICES/COSTS  NSN: 6150-01-451-1108 FSCM: 19207 PART NR: 12388463 SECURITY CLASS: Unclassified  PRODUCTION QUANTITY  PRODUCTION QUANTITY  30 EA  NOUN: WIRING HARNESS PRON: EH4RA105EH PRON AMD: 01 AMS CD: 070011  Packaging and Marking  Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin  Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV335ZS874 W45G19 J 1 DEL REL CD QUANTITY DAYS AFTER AWARD 001 30 0180  FOB POINT: Origin  SHIP TO: PARCEL POST ADDRESS (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184	NSN: 6150-01-451-1108 FSCM: 19207 PART NR: 12388463 SECURITY CLASS: Unclassified  PRODUCTION QUANTITY  NOUN: WIRING HARNESS PRON: EHARALOSEH PRON AMD: 01 AMS CD: 070011  Packaging and Marking  Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin  Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV352S874 W45G19 J 1 DEL REL CD QUANTITY DAYS AFTER AWARD 001 30 0180  FOB POINT: Origin  SHIP TO: PARCEL POST ADDRESS (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHNAY 82 WEST CL V TPF GATE 444 BLDG 184

# Reference No. of Document Being Continued PIIN/SIIN $^{W56HZV-04-Q-0581}$ MOD/AMD

Page 4 of 8

Name of Offeror or Contractor:

ITEM NO	or or Contractor: SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	30112123,021,11023	Quintilli	01112	0111111102	11111001(1
0002	NSN: 6150-01-451-1108 FSCM: 19207 PART NR: 12388463 SECURITY CLASS: Unclassified				
0002AA	PRODUCTION QUANTITY	10	EA	\$	\$
	NOUN: WIRING HARNESS PRON: EH4Y1296EH PRON AMD: 01 AMS CD: 070011				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance           DOC         SUPPL           REL CD         MILSTRIP         ADDR         SIG CD         MARK FOR         TP CD           001         W56HZV3352S876         W90454         J         1           DEL REL CD         OUANTITY         DAYS AFTER AWARD           001         10         0180				
	FOB POINT: Origin				
	SHIP TO: PARCEL POST ADDRESS  (W90454) XR W4GG HQ US ARMY TACOM  TEAM ABRAMS PARTNERSHIP FACILITY  WHSE BLDG 88037 LOGISTICS LANE  FT HOOD TX 76544-5060				

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0581

MOD/AMD

Page 5 of 8

#### Name of Offeror or Contractor:

PACKAGING AND MARKING

2 52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) (TACOM)

SEP/2003

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
  - (1) The quantity is over one (1) gross of the same national stock number,
  - (2) Use enhances handling and inventorying,
  - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
  - (4) The unit pack is less than 64 cubic inches,
  - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

#### (e) Packing:

- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0581 Mc

MOD/AMD

Page 6 of 8

#### Name of Offeror or Contractor:

#### (q) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <a href="http://www.easysoftcorp.com/products/Software/MSL.html">http://www.easysoftcorp.com/products/Software/MSL.html</a>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DDDAAC.

#### (h) Hazardous Materials(As applicable):

- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
  - (k) SUPPLEMENTAL INSTRUCTIONS: NONE

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0581 MOI

MOD/AMD

Page 7 of 8

#### Name of Offeror or Contractor:

CONTRACT CLAUSES

- 3 52.242-4022 DELIVERY SCHEDULE MAY/2000
- (a) The following delivery schedule applies to this procurement:
  - (1) See the Government's proposed schedule in Section B. Start deliveries 90 days after the date of award.
  - (2) You can accelerate delivery: AT NO ADDITIONAL COST TO THE GOVERNMENT.
  - (3) Delivery is defined as follows:
- (i) FOB Origin Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual order.
- (ii) FOB Destination Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual order. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the order, to ensure that the item reaches its destination by the time reflected in the order.
  - (b) CONTRACTOR'S PROPOSED SCHEDULE:
- (1) I WILL START DELIVERIES \_\_\_\_ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, \_\_\_\_ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.
- (2) I WILL DELIVER A QUANTITY OF \_\_\_\_\_ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF \_\_\_\_\_ UNITS EVERY 30 DAYS.

ATTENTION: IF YOU DO NOT INSERT A MAXIMUM QUANTITY ABOVE, YOU MAY BE REQUIRED TO DELIVER THE TOTAL QUANTITY ON THIS ORDER IN ONE SHIPMENT.

[End of Clause]

4 52.247-60 GUARANTEED SHIPPING CHARACTERISTICS

DEC/1989

- (a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.
  - (1) To be completed by the offeror:
    - (i) Type of "Outer" container: Wood Box [ ], Fiber Box [ ], Barrel [ ], Reel [ ], Drum [ ], Other (Specify)
    - (ii) Shipping configuration: Knocked-down [ ], Set-up [ ], Nested [ ], Other (specify) \_\_\_\_\_;
    - (iii) Size of outer container: \_\_\_\_ inches (Length), x \_\_\_\_ inches (Width), x \_\_\_\_ inches (Height) = \_\_\_\_ Cubic FT;
    - (iv) Number of items per outer container \_\_\_\_\_ Each;
    - (v) Gross weight of outer container and contents \_\_\_\_\_ LBS
    - (vi) Palletized/skidded [ ] Yes [ ] No;
    - (vii) Number of outer containers per pallet/skid \_\_\_\_\_\_

## Reference No. of Document Being Continued

**PIIN/SIIN** W56HZV-04-Q-0581

MOD/AMD

Page 8 of 8

	ror or Co	mtractor:					
	(viii)	Weight of empty	pallet bottom/ski	d and sides	LBS;		
	(ix)	Size of pallet/s	skid and contents	LBS Cube _	;		
	(x)	Number of outer	containers or pal	lets/skids per railcan	r * -	-	
		Size of railcar					
		Type of railcar					
	(xi)	Number of outer	containers or pal	lets/skids per traile	r *		
		Size of trailer					
		Type of trailer					
*Number of co	omplete 1	units (contract li	ine item) to be sh	ipped in carrier's equ	uipment.		
(2)	To be	completed by the G	Government after e	valuation but before (	contract award:		
	(i)	Rate used in eva	aluation	_;			
	(ii)	Tender/Tariff	;				
	(iii)	Item;	;				
				[End of Clause]			
5	52.246 (TACO		CTION AND ACCEPTAN	CE POINTS: ORIGIN		FEB/1995	
specify below	the exac		ss of his facility			l take place at ORIGIN. Offer ere supplies to be furnished u	
Contracto	or's Plan	nt:	( Na	me and Address)			
Subcontra	actor's 1	≀lant:		me and Address;			
Subcontra	actor's l	Plant:	(Na	me and Address)			
Subcontra	actor's l	Plant:	( Na				
Subcontra 6		Plant:		me and Address)		SEP/1978	
6 Delivery	52.24	7-4011 FOB PC	TNIC	me and Address) [End of Clause]	rf, or freight s	SEP/1978 tation, at the Government's op	tion, at
6 Delivery near:	52.24 on F.O.1	7-4011 FOB PC	TNIC	me and Address) [End of Clause]	rf, or freight s		tion, at
6 Delivery near:	52.24 on F.O.1	7-4011 FOB PC 3. origin offers w	TNIC	me and Address) [End of Clause]	rf, or freight s		tion, at
6 Delivery near: (1)	52.24 on F.O.1	7-4011 FOB PC 3. origin offers w	DINT will be F.O.B. Car	me and Address)  [End of Clause]  rier's equipment, whan		tation, at the Government's op	tion, at